

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product identifier**

**Product Label Name** Mango Melon Deodorant  
**Other means of identification**  
**UPC Code(s)** Not applicable  
**Product code** 2600-4010  
**Synonyms** Esteam Mango Melon Deodorant, Odor Counteractant

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Deodorizes carpet and fabric upholstery  
**Uses advised against** Follow label instructions. Not recommended for any use except intended use.

**Supplier's details****Supplier Address**

Esteam Cleaning Systems  
1-3680 Odyssey Drive  
Mississauga, ON L5M 0Y9  
Canada

**Manufacturer Address**

AramSCO Inc.  
4282 South 590 West  
Salt Lake City, UT 84123  
USA

**Emergency telephone number**

**Company Phone Number** 1-800-767-6933  
**Company Emergency Phone Number** United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)  
International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)  
**Emergency telephone** Poison Control 1-800-222-1222 (24 hour)

**2. HAZARDS IDENTIFICATION****Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

**GHS Label elements, including precautionary statements****Emergency Overview****Warning****Hazard Statements**

Causes skin irritation  
Causes serious eye irritation



**Appearance** Clear Liquid

**Physical state** Liquid

**Odor** Mango Melon

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other information**

0% of the mixture consists of ingredient(s) of unknown toxicity  
Other Hazards Harmful to aquatic life. Harmful to aquatic life with long lasting effects.  
General Hazards Keep out of reach of children  
Please see Section 11. Toxicological Information for further information

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
Alcohols, C9-11, ethoxylated	68439-46-3	5 - 10	*
Isopropyl alcohol	67-63-0	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES****First aid measures for different exposure routes**

**General advice** If symptoms persist, call a physician.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

**Skin contact** Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

**Toxic - Inhalation** Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician. Do NOT induce vomiting.

**Protection of First-aiders** Use personal protective equipment.

**Most important symptoms/effects, acute and delayed**  
**Main Symptoms** No information available.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No information available.

**Hazardous Combustion Products** No information available.

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Advice for emergency responders** For personal protection see section 8.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist.

**Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

**Packaging material** Keep product in packaging product is initially sold in.

**Incompatible products** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

NIOSH IDLH: *Immediately Dangerous to Life or Health*

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**  
**Engineering Measures**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Tightly fitting safety goggles. Face shield

**Skin and body protection** No special protective equipment required.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Lemon
<b>Appearance</b>	Clear Liquid	<b>Odor threshold</b>	No information available
<b>Color</b>	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	6.9	
Melting point	-5°C / 23°F	Freezing
Boiling point/boiling range	> 100°C / 212°F	
Flash Point	> 94°C / > 201°F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor pressure	17.6	
Vapor density	0.675	
Specific Gravity	1.001	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	200 cps	
Viscosity, dynamic	No information available	
Explosive properties	No information available	
Oxidizing Properties	No information available	

**Other information**

Softening point No information available

Molecular weight	No information available
VOC Content (%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

#### Chemical stability

Stable under recommended storage conditions

#### Possibility of hazardous reactions

None under normal processing

**Hazardous Polymerization**      None under normal processing.

#### Conditions to Avoid

Extremes of temperature and direct sunlight

#### Incompatible Materials

None known based on information supplied

#### Hazardous Decomposition Products

None known based on information supplied

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Toxic - Inhalation</b>	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
<b>Eye contact</b>	Avoid contact with eyes. Irritating to eyes.
<b>Skin contact</b>	Irritating to skin. Avoid contact with skin.
<b>Ingestion</b>	Do not taste or swallow. Ingestion may cause stomach discomfort. May cause irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol 67-63-0	= 1870 mg/kg (rat)	= 4059 mg/kg (rabbit)	= 72600 mg/m <sup>3</sup> (rat) 4 h
Alcohols, C9-11, ethoxylated, 68439-46-3	= 1378 mg/kg (rat)	> 2000 mg/kg (rat)	-

### Information on toxicological effects

**Symptoms**      No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	No information available.
<b>Eye damage/irritation</b>	No information available.
<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.

Chemical Name	ACGIH	IARC	NTP	OSHA

Isopropyl alcohol 67-63-0	-	Group 3	-	X
------------------------------	---	---------	---	---

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**IARC: (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to Carcinogenicity in Humans

<b>Reproductive toxicity</b>	No information available.
<b>Developmental Toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic toxicity</b>	Avoid repeat exposure.
<b>Target Organ Effects</b>	No information available.
<b>Aspiration hazard</b>	No information available.

### Numerical measures of toxicity - Product Information

0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** > 5000 mg/kg

**ATEmix (dermal)** > 5000 mg/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

16.65% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Isopropyl alcohol 67-63-0	1000: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	-	13299: 48 h <i>Daphnia magna</i> mg/L EC50

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

Chemical Name	Partition Coefficient
Isopropyl alcohol 67-63-0	0.05

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment

#### **Waste Disposal Methods**

Disposal should be in accordance with applicable local, regional, national, and international laws and regulations.

#### **Contaminated packaging**

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable

## 14. TRANSPORT INFORMATION

### DOT

Not regulated

**IMDG** Not regulated**IATA** Not regulated**15. REGULATORY INFORMATION****International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire Hazard</b>	No
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product can expose you to chemicals including Acetaldehyde and Ethylbenzene, which are known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**U.S. State Right-to-Know Regulations**

This product contains one or more substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	California
Isopropyl alcohol 67-63-0	X	X	X	X

**U.S. EPA Label information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

**NFPA** Health hazard 1 Flammability 1 Instability 0 Physical and chemical hazards -

**HMIS** Health hazard 1 Flammability 1 Physical Hazard 0 Personal protection X

**Prepared By** Aramsco  
Environmental Health & Safety

**Revision Date** 24 Apr 2023

**Revision Note**  
24 Apr 2023 Update Prop 65 information

**References** Raw ingredient SDSs

**Disclaimer**



The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**

